

# index

## NUMBERS

- 8-bit images. *See also* JPEG format
  - converting to 16-bit images, 114–115, 137
  - overview, 12
  - remapping the white point for, 113–114
- 1-bit line art, printing, 366
- 16-bit images
  - converting 8-bit images to, 114–115, 137
  - overview, 12
- 12-bit images, 12

## A

- Abbott, Berenice (photographer), 284
- Absolute Colorimetric color conversion, 37, 38
- ACE (Adobe Color Engine), 36–37
- ACR-Calibrator script, 259–261
- Actions
  - palette group for, creating, 7
  - playing, 7–8
  - for resizing images, creating, 6–7
- Adams, Ansel (photographer), 4, 340
- adjustment layers. *See also* blend modes
  - for converting color to grayscale, 288–295
  - for Hue/Saturation changes, 162
  - for increasing contrast, 103, 105
  - layer masks, 25, 291
  - for Levels dialog box, 244
  - for overexposure color correction, 151, 153, 154
  - overview, 24–25
  - Photo Filter, 318, 319
  - for selection masks, 162
  - for white balance correction, 147, 244
- Adobe Bridge
  - auto launching from Photoshop, 75–76
  - batch processing Camera Raw settings, 84–85
  - color settings adjustments in, 19
  - converting Camera Raw to DNG using, 53–55
  - setting Camera Raw preferences, 58–60
  - setting preferences for, 55–58
  - tooltips, 55
- Adobe Camera Raw For Digital Photographers Only* (Sheppard), 46
- Adobe Color Engine (ACE), 36–37
- Adobe Gamma calibration tool, 31–32
- Adobe Open dialog box, 72–74
- Adobe RGB (1998) color working profile, 17–18

- aerial photography
  - basic edits, 177–179
  - colorcasts common to, 177–178
  - haze and, 176, 179
  - problems common to other shots, 176
  - screen view and, 180
  - sharpening, 179–182
- alpha channel
  - creating with Calculations dialog box, 193
  - for high-key images, 302–305
  - Lens Blur filter with, 330, 334
- antialiasing filter, moiré patterns from, 263
- Apple CMM color engine, 37
- Apple Color Sync color engine, 37
- Apply Image command
  - multiple duplicate layers technique with, 210–212
  - Screen mode with, 210–211, 214, 322
- Arbus, Diane (photographer), 140
- archiving files, format for, 52
- artifacts, eliminating, 135–136
- Assign Profile dialog box, 20–21
- assuming a profile, 36, 39–40
- Auto Color Corrections dialog box, 98

## B

- batch processing, 84–85
- Bicubic resampling mode, 8
- Bicubic Sharper resampling mode, 9
- Bicubic Smoother resampling mode, 9
- Bilinear resampling mode, 8
- bit depth. *See also specific bit depths*
  - Camera Raw versus JPEG and, 48–49
  - for editing Camera Raw files, 60
  - overview, 12
  - Shadow/Highlight command and, 116
- black point. *See* white and black points
- black-and-white photos. *See also* converting color to grayscale
  - color mode for printing, 314
  - colorizing, 306–313
  - high-key darkroom techniques for, 302–305
  - negatives, copying, 271–273
  - 1-bit line art, 366
  - printing, 314, 364–366, 376
  - shooting infrared photography, 297–298, 314
  - simulating an infrared shot, 298–301



blend modes. *See also specific modes*  
 for eliminating artifacts, 136  
 for improving dynamic range, 13–14  
 Mason Pat Pending Mixed Mode Image Save,  
 210–212  
 overview, 24–25

Bresson-Cartier, Henri (photographer), 28

Bridge. *See* Adobe Bridge

brightness adjustments. *See also* dynamic range  
 basic curve shapes for, 107–113  
 in Camera Raw dialog box, 93–96  
 multiple duplicate layers technique for, 210–212  
 Screen mode for, 214, 322  
 Shadow/Highlight command limitations for, 117  
 for uneven exposure, 230, 232  
 White Point slider for, 218

## C

cache for Camera Raw files, 59

Calculations dialog box, 193

calibrating Camera Raw color, 76–83

calibrating monitors

- for color profiles, 16
- color viewing and, 4
- embedding color profiles and, 26
- hardware devices for, 30
- Macintosh displays, 31
- viewing compensation layers and, 357–360
- Windows displays, 31–32

Calumet Photographic Web site, 236

camera movement, decreasing, 206

Camera Raw database files, 59, 88

Camera Raw dialog box

- in Adobe Bridge and Photoshop, 87
- for black-and-white negative photocopies, 271–273
- brightness adjustments in, 93–96
- for color negative photocopies, 275–279
- Curves pane, 272–273, 275
- for duped slides, 268–270
- histogram, 61–62, 66
- processing images in, 70–72
- turning off auto settings, 137
- turning off sharpening in, 72, 87, 122
- use before opening images in Photoshop, 70–72
- white and black points in, 97

Camera Raw format

- Adobe Bridge with, 55–72
- in Adobe Open dialog box, 72–74
- applying last settings to selected images, 86
- bit depth and, 12
- calibrations for copy work, 259–262
- changing settings for, 85–86
- clearing settings for an image, 72
- color calibration, 76–83
- conversion tool, 48
- defined, 46

digital cameras and, 46

DNG standard for, 52–55, 87

further information, 46

histogram for, 61–69

JPEG versus, 48–52

opening in Photoshop CS2, 72–76

overview, 46–48

removing settings, 85–86

resolution and, 6

setting preferences for, 58–60

settings for batch processing, 84–85

speeding work with, 50, 52

Camera Raw Preferences dialog box, 58–60

cameras. *See* digital cameras

Cameron, Julia Margaret (photographer), 46

Canvas Size dialog box, 369

Capa, Robert (photographer), 250

Channel Mixer dialog box, 227, 288–292

chromatic aberrations, correcting, 328–329

chromatic noise, 222. *See also* noise

Chromoholics Web site, 259

clipping

- in Camera Raw histogram, 61, 93
- to decrease noise, 219–220
- Shadow/Highlight command for adjusting, 121
- by Variations command, 145

CMYK color mode

- assuming a profile, 36, 39–40
- CMYK inks and, 376
- color gamut and, 10–11, 26, 43
- embedding output profiles and, 36
- offset press printing and, 367
- overview, 10–11
- printers and, 26
- soft-proofing and, 40–41

Color Balance command, 144

color channels

- for Camera Raw format, 64–66
- in Curves dialog box, 145
- duplicating to create a working channel, 131
- Enhance Per Channel Contrast option, 219
- gray levels in, 12
- in Grayscale color mode, 11
- in Lab color mode, 11
- moiré pattern correction using, 264–266
- in RGB color mode, 10, 64–66
- white balance correction using, 147–148

Color Checker chart (GretagMacbeth), 259

color crossover correction, 360–364

color engines, 36–37

color gamut

- bit depth and, 12
- RGB versus CMYK and, 10–11, 26, 43
- soft-proofing for out-of-gamut colors, 40
- sRGB color working profile and, 18

color matching, photocopying art prints and, 254



- color modes. *See also specific modes*
  - CMYK inks and, 376
  - overview, 10–12
  - preparing files for press, 367
  - printers and, 26
  - for printing black-and-white photos, 314
- color negatives
  - with color balance problems, capturing, 280
  - editing photocopies, close-up of child, 278–279
  - editing photocopies, hot air balloon, 275–278
  - overview, 274–275
- color profiles. *See also calibrating monitors; specific kinds*
  - camera, 18
  - Camera Raw versus JPEG and, 50
  - color viewing and, 4, 16
  - color working, 17–22, 26
  - defined, 16
  - monitor, 16
  - output (for printing equipment), 18–19, 33–41, 42, 292–296, 352–354
  - for papers, 314, 370, 376
- Color Range command
  - adding to selections, 157–158
  - creating selection masks with, 157–159
  - Fuzziness setting for Hide Edges mask, 195–196
  - for isolating highlights and shadows, 245, 320
  - other selection tools versus, 156, 172
  - selecting sky area with, 155
- color rendering index (CRI) of lighting, 28
- Color Replacement tool, 227–228
- Color Settings dialog box, 39
- color working profiles
  - Adobe RGB (1998), 17–18
  - converting from another workspace, 21–22
  - embedding in images, 20–21, 26
  - overview, 17
  - sRGB, 18
- colorcasts
  - with aerial photography, 177–178
  - defined, 140
  - exposure problems leading to, 140
  - from fluorescent lighting, correcting, 233–237
  - gradient picker for flesh tones, 199–205
  - identifying, 140–143, 146–147, 172
  - overexposure, 140, 150–155
  - in parts of an image, 140
  - Photoshop tools for correcting, 141–147
  - primary color basics, 141
  - selection masks for correcting, 156–165
  - slide duping and, 269–270
  - underexposure, 140, 149–150, 151, 244
  - white balance, 147–148, 244
- colorizing black-and-white photos
  - combining tints and RGB color, 308–313
  - creating a sepia tone, 306–308
- compression, saving files and, 7
- contrast
  - adjustment layer for, 103–105
  - aerial photography settings, 178–179
  - basic curve shapes for, 108–110, 111–113
  - for color negative photocopies, adjusting, 277
  - correction mask for copy lighting, 256–258
  - Enhance Per Channel Contrast option, 219
  - increasing with Curves, 100–101, 104–105, 162
  - Luminosity blend mode for increasing, 104–105
  - noise from big enhancements, 176
  - setting white and black points for, 97–99
  - Shadow/Highlight command for adjusting, 121
  - uneven exposure and, 230, 232
- Convert to Profile dialog box, 21, 33–34, 36–38, 353
- converting color to grayscale
  - destructive methods, 284, 285
  - examining channels before, 284
  - fine-art method, 292–296
  - Hue/Saturation and Channel Mixer method, 288–290
  - as part of another process, 284–285
  - for selected areas, 290–292
  - simple nondestructive method, 287
- copy stand for photocopying, 251
- CRI (color rendering index) of lighting, 28
- Cunningham, Imogen (photographer), 316
- Curves dialog box
  - adjustment layer with, 103–105, 147, 151
  - advantages over Levels dialog box, 99–100
  - for aerial photography, 179
  - basic curves, 100–101, 107–110
  - as best tool for color correction, 145, 172
  - color channels in, 145, 153
  - for color crossover correction, 363–364
  - for combining tints and RGB color, 310–313
  - converting color to grayscale and, 294–295
  - for correction mask for copy lighting, 257–258
  - for darkening, 324
  - for flat overcast images, 238–239
  - for flesh tones, 168
  - gray Eyedropper tool in, 201
  - for high-key images, 303–304
  - Input and Output text boxes, 101
  - for overexposure color correction, 151–155
  - overview, 23–24
  - Photo Filters versus, 316, 317, 338
  - resizing, 100
  - with selection mask, 162, 163, 164–165
  - for sepia tone images, 307
  - setting up for use with this book, 23–24
  - for underexposure color correction, 149–150, 151
  - viewing compensation layers and, 358
  - white and black points in, 100
  - for white balance correction, 147–148
- Customize Proof Condition dialog box, 354–355



## D

- depth of field, adding with Lens Blur filter, 333–336
- detail
  - in Camera Raw dialog box, 72
  - Camera Raw file preferences for, 60
  - Camera Raw versus JPEG and, 49
- developer profiles, 19, 33, 42
- digital cameras
  - antialiasing filter, moiré patterns from, 263
  - Camera Raw format and, 46
  - color profiles, 18
  - determining image sizes from, 341–343
  - DSLR, histogram display, 68
  - DSLR, manual exposure controls, 228–229
  - DSLR, near-infrared sensitivity of, 297
  - dynamic range and cost of, 13
  - filters, 236–237, 263, 280, 316
  - lens aberrations and, 338
  - for photocopying, scanners versus, 250, 268, 281
  - resolution, printing and, 340–341
  - 16-bit images not produced by, 26
- Digital Negative (DNG) format, 52–55, 87
- discount photo centers, 371–372
- dot gain, 184–185
- downsampling images, 8–9, 241–243, 265
- Dry Creek Photo
  - Custom ICC Profile page, 34
  - custom profiles from, 42
  - ICC Profile Converter, 35
  - Ole No Moire* file, 200
- Dust and Scratches filter, 264
- dye based inks, 370
- dynamic range
  - improving by adding more data, 13–14, 322
  - improving for captured images, 14–16
  - overview, 13
  - warning for Merge to HDR command, 26

## E

- earth tones. *See* memory colors
- 8-bit images. *See also* JPEG format
  - converting to 16-bit images, 114–115, 137
  - overview, 12
  - remapping the white point for, 113–114
- Eisenstaedt, Alfred (photographer), 176
- Embed Profile Mismatch dialog box, 22
- embedding color profiles in images
  - color working profiles, 20–21, 26
  - output profiles, 36–38
- EPS Options dialog box, 185, 186
- exposure
  - colorcast problems from, 140
  - controlling manually, 228–229
  - overexposure, 140, 150–155
  - strong contrast in lighting and, 228

- Threshold dialog box for analyzing, 150–151, 229–230
- underexposure, 140, 149–150, 151, 217–221
- uneven, correcting, 228–233

Eye-One Display 2 profiling tool (GretagMacbeth), 30  
 Eye-One Photo system (GretagMacbeth), 33  
 Eye-One Proof system (GretagMacbeth), 33

## F

- Fade command, 220, 223
- film duping
  - black-and-white negatives, 271–273
  - color negatives, 274–280
- filters (camera)
  - antialiasing, moiré patterns from, 263
  - for color negative photocopies, 280
  - for fluorescent lighting, 236–237
  - Photoshop filters versus, 316
- filters (Photoshop). *See specific filters*
- Find Edges filter, 132
- flash shots
  - beyond-repair photos, working with, 208–212
  - fluorescent lighting and, 236–237
  - insufficient flash, 212–217
  - red-eye correction, 226–228
- flat art copying. *See* print copying
- flattening layers, 295
- flesh tones. *See also* memory colors; portraiture
  - in color negative photocopies, 279
  - determining values for, 173
  - enhancing for portraits, 187–198
  - gradient picker for, 199–205
  - Hue/Saturation dialog box for correcting, 169–171, 322–323
  - pleasing, creating, 166–171
  - preferences versus reality, 166
  - saving files as references for, 200
- fluorescent lighting
  - colorcasts from, 140, 233–234
  - correcting colorcast problems, 234–237
  - filters for, 236–237
  - with flash, 236–237
- focal point, changing with Lens Blur filter, 333–336
- full-spectrum lighting, 28

## G

- gamut. *See* color gamut
- Gaussian Blur filter
  - for Hide Edges mask, 193, 194
  - for high-key images, 304
  - moiré pattern correction using, 264, 265
  - sharpening method using, 133
  - for softening facial skin using a mask, 197
- Genuine Fractals Print Pro (onOne Software), 9, 182
- gradient picker for flesh tones, 200–205



Grayscale color mode, 11–12. *See also* converting color to grayscale

Grayscale command, 284, 285, 291, 296

grayscale gradient for color crossover correction, 360–361

GretagMacbeth

- Color Checker chart, 259
- Eye-One Display 2 profiling tool, 30
- Eye-One Photo system, 33
- Eye-One Proof system, 33

## H

halftone frequency

- continuous-tone devices and, 185
- custom examples, 186, 187
- dot gain and, 184
- dot shape for, 185
- moiré patterns and, 262–263
- preparing files for press, 366–367
- prepress problems and, 206
- setting, 185

haloing, 50, 241

haze, correcting for, 179

Hide Edges mask, 192–197

High Pass filter, 135

high-key images, 302–305

highlights and shadows. *See also* Shadow/Highlight command

- blown-out, adjustments for, 245
- Camera Raw versus JPEG and, 49
- clipping of, 61, 93, 121
- isolating, 245, 320
- overcast lighting and, 238–239
- Photo Filters for color correction and, 317
- shadow recovery feature, 214–215
- uneven exposure correction, 230, 232

histogram

- for black-and-white conversion, 296
- brightening images with White Point slider, 218
- in Camera Raw window, 61–62, 66
- channels in, 64–66
- clipping in, 61, 93
- colors in, 61
- deciding on tonal adjustments using, 105–107
- DSLR cameras and, 68
- 8-bit images in, 113
- importance of, 61
- in Levels dialog box, 63–69
- RGB, 64–69
- tonal values in, 93

Hue/Saturation dialog box

- adjustment layer for, 162
- converting color to grayscale using, 287–290, 294
- fixing saturation errors, 153–154
- for flesh tones, 169–171, 322–323

- for Hide Edges mask, 195
- overview, 24, 25
- Photo Filters versus, 316, 338
- for photos taken with insufficient flash, 215
- for postcard look, 220–221
- predicting hue change, 215
- with selection mask, 162, 163–164, 165

## I

ICC Profile Converter (Dry Creek Photo), 35

Image Size dialog box, 114–115, 341–343

indoor lighting. *See also* flash shots

- colorcasts from, 140, 159
- fluorescent, 140, 233–237
- incandescent, 140, 159
- makeshift copy stand for photocopying, 251
- underexposure, correcting, 217–221

infrared photography

- shooting, 297–298, 314
- simulating, 298–301

inkjet printers

- automatic profile selection for, 345–349, 354
- custom profiles for, 352–354
- magenta bias with Epson printers, 351–352
- maintenance, 375
- Photoshop Color Engine for, 350–351, 354
- Print dialog box settings, 347–349
- Print Preview dialog box settings, 346–347

inks for printing, 370, 376

installing output profiles, 33–34

Internet resources

- Camera Raw calibration utility, 259
- CRT monitors, 30
- Dry Creek Photo, 34, 35, 42
- filters for fluorescent lighting, 236
- full-spectrum lighting, 28
- Genuine Fractals Print Pro, 9
- GretagMacbeth site, 30, 33, 259
- Ole No Moire* file, 200
- Opteka slide-copying unit, 281
- Pixelgenius Photokit Sharpener, 122
- QuadTone RIP, 365
- service providers, 372–374

inverting images, 132

ISO speed, Unsharp Mask filter and, 125, 126

## J

JPEG format

- Camera Raw format versus, 48–52
- cameras saving images in, 6
- converting images to 16-bit files, 114–115
- remapping the white point for images, 113–114
- resaving files in, avoiding, 7
- tonal adjustments for images, 113–115

**K**

Kelvin rating of lighting, 28

**L**

Lab color mode

conversion to grayscale using Lightness channel, 285

overview, 11

values for flesh tone gradient picker, 201–202

Lange, Dorothea (photographer), 208

layer masks, 25, 291

lens aberrations, 338

Lens Blur filter

limitations of, 330

overview, 330–333

planes of focus, 334–335

sharpening images after using, 338

using, 333–337

Lens Correction filter, 328–329

lens effects. *See also specific filters*

Lens Blur filter for, 330–337, 338

Lens Correction filter for, 328–329

overview, 316

Photo Filters for, 316–327, 338

Levels dialog box

for aerial photography, 177–178

for black-and-white negative photocopies, 273

brightening whites using, 216

Camera Raw histogram in, 63–69

changing Auto Levels defaults, 98

channel histograms in, 64–66

checking tonal information available, 213–214

for color correction, 144

Curves dialog box versus, 99–100

for flesh tones, 168–169

limitations of, 137

overview, 22–23

RGB histogram in, 64–69

rule of thumb for, 244

setting white and black points in, 97–99

16-bit image in, 12

spreading blacks for Hide Edges mask, 194–195

lighting (photographic). *See also* exposure; flash shots;

white balance

Camera Raw format and, 46–47

Camera Raw versus JPEG and, 49, 50–51

cloudy days, 237–239

for color negative photocopies, 280

copy, correction mask for, 255–258

copy stand for photocopying, 251

for flat art copying, correcting, 255–258

fluorescent, 140, 233–237

improving dynamic range for poor conditions, 14–16

incandescent, 140, 159

for portraiture, 188

strong contrast in, 228

lighting (workspace), 4, 28, 29

location shoots. *See also* snapshots

aerial photography, 176–182, 183

photojournalism, 182–186

wildlife photography, 206

luminance noise, 222. *See also* noise

Luminosity blend mode

for brightness changes maintaining color balance, 24

for correction mask for copy lighting, 258

increasing contrast with, 104–105

for maintaining saturation in brightest colors, 224

in Mixed Mode Image Save, 210, 212

**M**

Macintosh computers

calibrating monitors, 31

color engines, 36–37

installing output profiles, 33–34

Macintosh Display Calibrator Assistant, 31

Magic Wand tool, 172

masks

Brush tool for adding to, 321

for correcting copy lighting, 255–258

edge, applying Unsharp Mask filter to, 130–134

edge, for sharpening aerial photography, 180–182

Hide Edges mask, 192–197

layer, 25, 291

Quick Mask mode for, 320–321

selection, for color-correction, 156–165

selection, for Lens Blur filter, 334

for softening facial skin, 182–188

Match Color options, 172

Maximum filter, sharpening using, 132

Median filter, sharpening using, 132

memory colors. *See also* flesh tones; skies

calibrating Camera Raw color, 76–83

as most recognizable content, 87

Merge to HDR command, 14–16, 26

metadata preferences (Adobe Bridge), 56–57

Microsoft ICM color engine, 37

midtone, 71, 121

Missing Profiles dialog box, 39–40

moiré patterns

correcting for copy work, 264–266

correcting in non-copy photos, 266

photocopying and, 262–263

viewing on monitor, 264

monitors

calibrating, 4, 16, 26, 30–32, 357–360

color, printed colors versus, 141

color profiles, 16

CRT versus LCD, 16–17, 30, 42

matching Kelvin rating of lighting to, 28

moiré patterns and, 264

soft-proofing on, 40–41, 354–364

viewing booth for, 28





motion blur, adding with Lens Blur filter, 333–336  
Multiply blend mode, 13–14, 322

## N

Nearest Neighbor resampling mode, 8  
near-infrared (NIR), 297  
negatives, copying  
    black-and-white, 271–273  
    color, 274–280  
neutral tone, checking for, 160  
noise  
    Camera Raw versus JPEG and, 49  
    checking after tonal adjustment, 209  
    chromatic versus luminance, 222  
    clipping to decrease, 219–220  
    contrast enhancements and, 176  
    Lens Blur filter option, 333  
    Noise Reduction filter for, 222–224  
    reducing overall, 222–224  
    reducing with local control, 224–225  
    sharpening and, 240  
    underexposure and, 208, 209, 210  
Normal blend mode, 210, 211

## O

*Ole No Moire* file (Dry Creek Photo), 200  
1-bit line art, printing, 366  
online printing services, 372–374  
onOne Software's Genuine Fractals Print Pro, 9, 182  
Opacity settings, duplicating layers and, 210  
Opteka slide-copying unit, 281  
output profiles (for printing equipment)  
    acquiring device profiles, 33  
    assuming, 36, 39–40  
    automatic profile selection for inkjets, 345–349, 354  
    converting color to, 36–38  
    custom, for inkjets, 352–354  
    developer profiles, 19, 33, 42  
    embedding in images, 36–38  
    fine-art black-and-white conversion using, 292–296  
    installing, on the Mac, 33–34  
    installing, on Windows, 34  
    overview, 18–19  
    purchasing custom profiles, 34, 42  
    soft-proofing with, 40–41  
overexposure  
    colorcasts from, 140, 150  
    correcting colorcast problems, 150–155  
    Threshold dialog box for analyzing, 150–151  
    uneven, correcting, 228–233

## P

paper  
    color profiles for, 314, 370, 376  
    scaling image to fit, 375

Paste Camera Raw Settings dialog box, 85  
Perceptual color conversion, 37, 38  
photo enlargers for copy stands, 251  
Photo Filters  
    adjustment layers for, 318, 319  
    color correction and, 316–318  
    combining, 324–327  
    Curves dialog box versus, 316, 317, 338  
    dialog box options, 318–319  
    Hue/Saturation dialog box versus, 316, 338  
    overview, 316  
    toning and, 318–324  
photo finishing labs, 370–371  
Photo Flo, 252  
photo restoration resources, 253  
photocopying  
    for art prints, 253–255  
    for black-and-white negatives, 271–273  
    Camera Raw calibrations for, 259–262  
    for color negatives, 274–280  
    copy lighting correction mask for, 255–258  
    copyright issues, 262  
    defined, 250  
    makeshift copy stand for, 251  
    moiré patterns and, 262–267  
    overview, 250–251  
    for photo prints, 252–253  
    scanner versus camera for, 250, 268, 281  
    slide duping, 267–271, 281  
photojournalism  
    dot gain issues for, 184–185  
    fast pace of, 182–183  
    press output for, 183–184  
Photoshop Color Engine, printing using, 350–351, 354  
Photoshop CS2. *See also specific techniques and tools*  
    auto launching Bridge from, 75–76  
    color and tonal correction tools, 22–25  
    opening Camera Raw format in, 72–76  
    Photoshop Elements versus, 11  
Photoshop Elements, 11, 35  
pigmented inks, 370  
Pixelgenius Photokit Sharpener, 122  
pixels  
    device differences and, 4–5  
    image sizes and, 6  
playing Actions, 7–8  
portraiture. *See also* flesh tones  
    enhancing skin tones, 187–198  
    flesh tone gradient picker for, 199–205  
    glamour and, 186  
    removing wrinkles, 188–191  
    retouching shiny skin, 191–192  
    softening facial skin, 192–198  
    working with shy people, 188  
postcard look, 220–221  
Preferences dialog box (Adobe Bridge), 55–58  
previewing. *See* soft-proofing



primary colors, 140–141

print copying

- art prints, 253–255
- copy lighting correction mask for, 255–258
- photo prints, 252–253

Print dialog box, 346, 347–349

Print Preview dialog box, 346–347, 368–369

Print with Preview command, 345–346, 350, 353

printers and printing equipment

- automatic profile selection for inkjets, 345–349, 354
- bit depth and, 12
- calibration systems for, 42
- color mode and, 26
- dedicated, for black-and-white printing, 365–366
- determining image size for, 341–343
- device resolution, 341–344
- inkjet, 344–354, 375
- maintenance, 375
- Output Options for, 368–369
- output profiles for, 18–19, 33–41, 42, 352–354
- press output, 183–184, 366–367
- Print dialog box settings, 347–349
- resolution and pixels in images, 5
- service providers for, 370–374
- substrates for, 254

printing

- assuming output profiles for, 36, 39–40
- black-and-white photos, 364–366, 376
- camera resolution and, 340–341
- device resolution and, 341–344
- file resolution and, 341
- to inkjet printers, 344–354
- inks for, 370, 376
- magenta bias with Epson printers, 351–352
- 1-bit line art, 366
- Output Options for, 368–369
- paper for, 314, 370
- press output, 183–184, 366–367
- Print with Preview command for, 345–346, 350, 353
- scaling image to fit paper, 375
- service providers for, 370–374
- soft-proofing (previewing) before, 40–41, 354–364
- speed and, 344

product photography, 176

profiles. *See* color profiles

## Q

QuadTone RIP (Raster Image Processor), 365

Quick Mask mode, 320–321

## R

red-eye correction, 226–228

Reduce Noise dialog box, 222–224

Relative Colorimetric color conversion, 37, 38

resampling images

- downsampling, 8–9, 241–243, 265
- modes for, 8–9
- resolution and, 8, 9
- underexposed images, 210, 214, 218
- upsampling, 9–10

resizing images

- creating an Action for, 6–7
- determining image size for printing, 341–343
- downsampling, 8–9
- upsizing, 9–10, 375
- without affecting resolution, 6

resolution

- of cameras, printing and, 340–341
- downsampling images and, 8
- for editing Camera Raw files, 60
- format of camera images and, 6
- of images, printing and, 341
- optimum for printer, 342
- of printing devices, 5, 341–344
- resizing an image without affecting, 6
- upsampling images and, 9

restoration, resources for, 253

RGB color mode

- CMYK output and, 11
- color mismatch options, 21–22
- embedding output profiles in images, 36–38
- offset press printing and, 367
- overview, 10
- printers and, 26
- for printing black-and-white photos, 314
- soft-proofing with output profiles, 40, 41

Rosco filters

- Cinegel 3204 1/4 Tough Booster Blue, 280
- Tough Plus Green #3304, 236–237

## S

saturation

- automating adjustments, 222
- in Camera Raw dialog box, 71
- fixing severely underexposed images and, 210, 212
- flesh tones and, 166, 167
- Hue/Saturation dialog box for correcting, 153–154
- maintaining in brightest colors, 224
- photocopying art prints and, 254
- photos taken with insufficient flash and, 215–216, 217
- for postcard look, 220–221

Saturation color conversion, 37, 38

Save As dialog box, embedding color profiles using, 20

Save Options dialog box, 53–55

saving files

- embedding color profiles using Save As, 20
- lossless compression formats for, 7
- in TIFF format, 367

scanner versus camera for photocopying, 250, 268, 281





- Screen blend mode
    - brightness adjustment using, 214, 322
    - in Mixed Mode Image Save, 210, 211
  - selecting. *See also* selection masks
    - adding/subtracting selections from channel masks, 335
    - Color Range command for, 155, 156–159, 172
    - eye for red-eye correction, 226
    - further information, 172
    - Magic Wand tool for, 172
    - Selective Color Options dialog box for, 162–164
  - selection masks
    - correcting color using, 159–165
    - creating with Color Range command, 157–159
    - for Lens Blur filter, 334
  - Selective Color Options dialog box, 162–164
  - self-serve photo centers, 371–372
  - sepia tone images
    - combining RGB color with, 308–313
    - creating, 306–308
  - service providers
    - online services, 372–374
    - photo finishing labs, 370–371
    - self-serve and discount centers, 371–372
  - Shadow/Highlight command
    - Amount sliders, 119, 232
    - bit depth and, 116
    - Black Clip/White Clip text boxes, 121, 232
    - Color Correction slider, 120–121
    - for flat overcast images, 238, 239
    - limitations of, 116, 117
    - Midtone Contrast slider, 121
    - Radius slider, 119–120, 232
    - shadow recovery feature, 214–215
    - Tonal Width slider, 119, 232
    - for uneven exposure correction, 230–232
    - uses for, 118
    - using, 118–121
  - shadows. *See* highlights and shadows
  - Sharpen Edges filter, 124
  - Sharpen filter, 124
  - Sharpen More filter, 124
  - sharpening. *See also* Unsharp Mask filter
    - aerial photography, 179–182
    - in Camera Raw dialog box, avoiding, 72, 87, 122
    - considerations for, 122–123
    - determining right amount of, 138
    - downsampling after, 241–243
    - edge-sharpening method for, 130–134
    - eliminating artifacts, 135–136
    - after Lens Blur filter use, 338
    - other filters for, 124
    - oversharpening, avoiding, 122, 123, 179
    - place in editing process, 244
    - snapshots, 239–243, 244
    - third-party plug-ins for, 122
  - Sheppard, Rob (*Adobe Camera Raw For Digital Photographers Only*), 46
  - sidecar XMP files, 58, 88
  - simulating an infrared shot, 298–301
  - 16-bit images
    - converting 8-bit images to, 114–115, 137
    - digital camera not producing, 26
    - overview, 12
  - skies. *See also* memory colors
    - Color Range command for selecting, 155
    - overcast, 237–239
    - overexposure color correction for, 153, 154–155
    - reducing noise in, 224–225
    - shooting for later use, 324
  - skin tones. *See* flesh tones; memory colors
  - slide duping, 267–271, 281
  - snapshots
    - flash exposure problems, correcting, 208–217
    - fluorescent lighting problems, correcting, 233–237
    - noise, reducing, 222–225
    - overcast lighting and, 237–239
    - red-eye correction, 226–228
    - sharpening, 239–243, 244
    - underexposure problems, correcting, 217–221
    - uneven exposures, correcting, 228–233
  - Soft Light blend mode, 304–305
  - soft-proofing (previewing)
    - CMYK proofing, 40–41, 356
    - color crossover correction, 360–364
    - Customize Proof Condition options, 354–355
    - for out-of-gamut colors, 40
    - with output profiles, 40–41
    - RGB files, 40, 41
    - steps for, 355–356
    - viewing compensation layers, 357–360
  - Spiralux full-spectrum lamps, 28
  - sRGB color working profile, 18
  - Suite Color Settings dialog box, 19
  - Sun Stick lamps, 28
- T**
- Threshold dialog box, exposure analysis using, 150–151, 229–230
  - TIFF format, saving files as, 367
  - tinging photographs, 308–313
  - tonal adjustments. *See also* brightness adjustments; contrast
    - analyzing an image for, 92–93, 105–107
    - basic curve shapes for, 107–113
    - for blown-out highlights and shadows, 245
    - brightness values, 93–96
    - in Camera Raw dialog box versus Photoshop, 92
    - checking for neutral tone, 160
    - checking noise after, 209
    - checking tonal information available, 213–214

continued

## tonal adjustments *(continued)*

- for JPEG images, 113–115
  - Photo Filters for, 319–324
  - for photos taken with insufficient flash, 213–217
  - setting white and black points, 97–99
  - Shadow/Highlight command for, 116–121
  - smooth transitions with Curves dialog box, 100–101
  - for uneven exposure, 230, 232
- tonal banding, 49
- transfer functions, 184, 185, 186
- transparencies, copying (slide duping), 267–271, 281
- Triton 50 full-spectrum tubes, 28
- 12-bit images, 12

## U

- underexposure
- beyond-repair photos, working with, 208–212
  - colorcasts from, 140, 149, 244
  - correcting colorcast problems, 149–150, 151
  - from insufficient flash, 212–217
  - multiple duplicate layers technique for, 210–212
  - in snapshots, correcting, 217–221
  - in snapshots taken at dusk or indoors, 217–221
- Unsharp Mask filter
- for aerial photography, double pass of, 182
  - Amount slider, 124–126
  - applying to mask created from edge pixels, 130–134
  - formula for calculating Amount setting, 124
  - grain accentuated by, 129–130
  - image content and, 125
  - ISO speed and, 125, 126
  - moiré pattern correction using, 264–265
  - output sources and, 124, 138
  - Radius slider, 127
  - for snapshots, 240–241
  - Threshold slider, 127–129
- upsampling images, 9–10, 375

## V

- Variations command, 145
- viewing booth, building, 29
- viewing compensation layers, 357–360
- vignettes, correcting, 329

## W

- Web sites. *See* Internet resources
- white and black points
- for aerial photography, 177, 178
  - AutoLevels versus AutoContrast for setting, 178
  - for black-and-white negative photocopies, 272–273
  - in Camera Raw dialog box, 71
  - checking for neutral tone, 160
  - checking noise after tonal adjustment, 209
  - in Curves dialog box, 100
  - eyedropper for setting, 160–161, 162
  - for photos taken with insufficient flash, 216
  - remapping for 8-bit images, 113–114
  - setting with Auto Levels, 97–99
  - Shadow/Highlight command for adjusting, 121
- white balance
- in Camera Raw dialog box, 71
  - for color negative photocopies, 275–277, 278
  - colorcasts, 147–148, 244
  - Curves dialog box for correcting, 147–148
  - for duped slides, 270
  - indoor lighting and, 140
- White, Margaret Bourke (photographer), 92
- wildlife photography, camera movement and, 206
- Windows computers
- calibrating monitors, 31–32
  - color engines, 36–37
  - installing output profiles, 34
- working-space profiles. *See* color working profiles

## X

- XMP sidecar files, 58, 88





